COMMUNITY DEVELOPMENT
PERMIT CENTER

CALIFORNIA
CITY OF BELMONT

DOORS

1998 CAL ASIM
P. 151, 155, 157.



CLEAR OPENINGS MUST BE BETWEEN THE DOOR IN ITS 90° OPENING POSITION AND THE FACE OF THE STOP.

(a) SINGLE DOOR



CLEAR OPENINGS FOR TWO LEAF DOORS MUST BE BETWEEN EITHER DOOR IN ITS 90° OPEN POSITION AND THE EDGE OF THE OTHER DOOR.

(b) DOUBLE DOOR



AN ADULT SIZE WHEELCHAIR AVERAGES 27 INCHES IN WIDTH. THE REQUIRED 32 INCH CLEAR OPENING ALLOWS 2-1/2 INCHES ON EACH SIDE FOR HANDS.

(c) PASSAGE CLEARANCE

DOOR WIDTH



(a) HINGED DOOR



NOTE: PROVIDE BUMPER IN POCKET TO PREVENT DOOR FROM FULLY RECEDING

(b) SLIDING DOOR



(c) FOLDING DOOR

CLEAR DOOR WIDTH AND DEPTH

1070 SIXTH AVEENUE, SUITE 309 BELMONT, CALIFORNIA 94002-3867 (650-595-7422)