





ONE TWIN PINES LANE,
 SUITE 110
 BELMONT, CA 94002
 (650) 595-7422
 www.belmont.gov

Community Development Permit Center APPLIANCE VENTING AND SUPPORT (M8)

LAST REVISED:
2022 CA MECHANICAL CODE
506.7


BUILDING OFFICIAL:
DINO FRANCESCONI

LISTED SINGLE-WALL TYPE B VENTS



NOTE: PIPE AND FITTINGS
 ARE LISTED FOR EITHER
 1½- OR 3-INCH (38 mm or 76 mm)
 CLEARANCE TO COMBUSTIBLE
 CONSTRUCTION.

ANGLE IRON AND LIGHT STRAPPING
 OR RISER CLAMPS OF HANGER IRON
 CAN BE USED IN VARIOUS WAYS FOR
 SUPPORTING THE VENT.



LISTED CEMENT-ASBESTOS VENT CAN BE SUPPORTED
 AND BRACED AT ANY POINT ALONG THE LENGTH
 OF THE VENT AND AT FITTINGS AND COUPLINGS

WHEN BASE OF VENT EXTENDS TO
 GROUND, IT SHALL BE SUPPORTED
 ON 2" (51 mm) OF SOLID MASONRY
 OR CONCRETE.

WHEN SUPPORTING VENT, MINIMUM
 CLEARANCES MUST BE OBSERVED

TYPICAL DETAILS FOR SUPPORT OF SINGLE-WALL NONMETALLIC TYPE B VENTS